


HZM



HZM 953 FRONT END LOADER




953
FRONT
END
LOADER





FEATURES



OPERATE SPACE



ADJUSTABLE STEERING WHEEL




HYDRAULIC JOYSTICK



BETTER HAND BRAKE



BIG REAR VIEW CAMERA



HANGCHI GEARBOX



WEICHA 162KW ENGINE



WHOLE LED WORKING LIGHT



ENGINE COVER



23.5-25 TIRES



HUB REDUCER AXLE



STANDARD BUCKET



SPECIFICATIONS

Specification	Overall weight(kg)	16700
	L×W×H (mm)	7720x3030x3380
	Rated bucket capacity(m3)	3.0
	Rated load(kg)	5000KG
	Wheel base(mm)	2920
	Thread(mm)	2200
	Max.Breakout Force(KN)	160
	Max. dump height (mm)	3050
	Bucket indicator	Yes
Engine	Model	WEICHAİ WD10G220E23
	Type	Vertical, In-line , Water cooling, 6-stroke diesel engine
	Rated power (kw)	162kw / 160kw
	Rated speed(r/min)	2200
Transmission system	Model of torque converter	YJH340 (HANGCHI)
	Gearbox type	Fixed-spindle power shift
	Gear shift	2Forward,1Reverse
Hydraulic system	Working pressure	16Mpa
	Distribution device model	DF32
	Implement pump	P4800-F100
Steering system	Type	Full hydraulic steering
	Min turning radius(mm)	7250mm
Brake system	Service	Air-on-air caliper-disc
	Parking brake	Manual caliper-disc
Tire	Standard tires	23.5-25